

Project:

Note:

Type:

Quantity:

Model#: SP - LGD - GR - 01 - ___ - ___ - ___ - ___ - ___

Description

Dynamic and elegant, the Gradient pendant features a clear acrylic diffuser with beautiful lathe-etched concentric rings in a gradient pattern. Light from the integrated LED source evenly illuminates the diffuser and disperses into the space.

Specifications

- Color Rendering Index: 90CRI
- LED Color Temperature: 3000K (standard)
- Cable Length: 8' (see page 2 for detail), for longer lengths consult factory
- For recommended dimmers see <https://www.blackjacklighting.com/dimming-information>


Features

- Screw-in, decorative optical acrylic light guide
- Suspends from an 8' adjustable cable
- Damp location rated

Options

- Color Temperature: 2700K, 3000K, 3500K, 4000K
- Lumens: 2W/90 Lumens or 3W/140 Lumens (recommended for single pendant application)
- Lamping: 2W or 3W
- Standard Finishes: BL - Black, PC - Polished Chrome or WH - White
- Special Order Powder Coat Finishes: BZ - Bronze, SG - Satin Gold or SS - Satin Silver
- Mounting: See page 2 for mounting options

Dimensions



Diffuser



ORDERING GUIDE

| Category | Series | Diffuser | Size | Finish | Color Temp. | Wattage | Mounting | Length |
|------------------|-----------------|-------------|----------------|--|--|---|--|--|
| SP | LGD | GR | 01 | | 30K | | | |
| SP Small Pendant | LGD Light Guide | GR Gradient | 01 1" Diameter | Standard BL Black PC Polished Chrome WH White Special Order BZ Bronze SG Satin Gold SS Satin Silver | 27K 2700K 30K 3000K 35K 3500K 40K 4000K | 2W 2Watts/ 90Lm 3W 3Watts/ 140Lm (recommended for single pendant application) | SP5 5" Canopy SP2 2.5" Fascia Canopy MPC Multi-Port Connector JTA JackTrack Adapter | BLANK (Leave blank for standard 96" cable length) ### for cable length longer than 96" specify cable length in inches |
| | | | | | | (30K Standard) | (See page 2 for mounting information) | |

Example: SP-LGD-GR-01-BL-30K-2W-SP2-

Finish


| | | |
|--|---|---|
| <p>Finish</p> <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px;"></div> <p>PC BL WH BZ SG SS</p> |    |    |
| | <p>PC - Polished Chrome BL - Matte Black WH - White</p> <p>Standard Finishes</p> | <p>BZ - Bronze SG - Satin Gold SS - Satin Silver</p> <p>Special Order Powder Coat Finishes</p> |

Wattage

| | |
|---|---|
| <p>Wattage</p> <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px;"></div> <p>2W 3W</p> | <p>2W = 2 Watts / 90 Lumens, recommended for Multi-Port applications (Multi-Port system and JackTrack adapter).</p> <p>3W = 3 Watts / 140 Lumens, recommended for single pendant applications (5" Canopy and 2.5" Fascia Canopy).</p> <p>(Lumens measured at 3000K)</p> |
|---|---|

Mounting

| | |
|--|---|
| <p>Mounting</p> <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px;"></div> <p>SP5 SP2 MPC JTA</p> | <p>SP5 = 5" canopy with integrated driver (included), attaches to rear of canopy and sits inside ceiling mounted junction box <i>Cable with modular connector attaches to canopy w/ integrated universal driver (120-277V / TRIAC, ELV, 0-10V dimming)</i></p> <p>SP2 = 2.5" thin profile canopy that attaches flush to a rigid ceiling (driver sold separately) <i>Cable with modular connector (and optional wire harness) attaches to a remote driver</i></p> <p>MPC = Multi-port connector attaches to any of BlackJack's Multi-Port canopies (canopy and driver sold separately) <i>Cable with modular connector attaches to a driver inside a Multi-Port canopy (driver may be remote)</i></p> <p>JTA = Adapter connects the pendant in any position along the JackTrack system (track and driver sold separately) <i>Cable is cut to length and inserted in a connector at the bottom of the JackTrack adapter</i></p> |
|--|---|



















Max Cable Length

| | |
|--|---|
| <p>Length</p> <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px;"></div> <p>BLANK ###</p> | <p>BLANK = Leave blank for standard 96" cable length.</p> <p>### = Specify maximum cable length needed for fixture (in inches).</p> <p>Factory pre-configuration of cable length is available. Consult factory for details.</p> |
|--|---|

For full specifications and ordering information see blackjacklighting.com

(# symbol indicates additional specification required)

| Pendant Mounting | Canopy | Dimensions | End / Side View | Finish Options |
|------------------|--|--|---|---|
| SP5 | 5" Canopy Canopy and driver included with pendant |  5" dia. 12.7 cm |  (Integrated Driver) .8" / 2 cm | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| SP2 | 2.5" Fascia Canopy Canopy included with pendant. Driver sold separately. |  2.5" dia. 6.4 cm |  (Remote Driver) .4" / 1.3 cm | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 24" Multi-Port Square - 9 Port C-MPS-2409-# 24" Multi-Port Square - 25 Port C-MPS-2425-# |  8" OC 20.3 cm 23.9" 60.7 cm 4.8" OC 12.2 cm 23.9" 60.7 cm 9 Port 25 Port |  21.5" 54.6 cm 2.5" 6 cm (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 38" Multi-Port Rectangle - 10 Port C-MPT-3810-# 38" Multi-Port Rectangle - 18 Port C-MPT-3818-# |  7.5" OC 19 cm 37.7" 97.8 cm 3" OC 7.6 cm 10 Port 4.1" OC 10.4 cm 2.5" OC 6.4 cm 18 Port 37.7" 97.8 cm |  4.7" 11.9 cm 2.5" 6 cm 6" 15.2 cm (Integrated Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 22" Multi-Port Linear - 5 Port C-MPL-2205-# 48" Multi-Port Linear - 11 Port C-MPL-4811-# |  4.4" OC 11.2 cm 21.8" 56 cm 2.8" 7 cm 5 Port 4.4" OC 11.2 cm 48" 123 cm 2.8" 7 cm 11 Port |  2.8" 7 cm 1.4" 4 cm (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 10" Round - 3 Port C-MPR-1003-# 10" Round - 9 Port C-MPR-1009-# |  11" dia. 27.9 cm 7.4" OC 18.8 cm 3 Port 11" dia. 27.9 cm 2.9" OC 7.4 cm 9 Port |  10" dia. 25.4 cm 2.1" 5.3 cm (Integrated Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 20" Round - 3 Port C-MPR-2003-# 20" Round - 12 Port C-MPR-2012-# |  20" dia. 50.8 cm 14.5" OC 36.8 cm 3 Port 20" dia. 50.8 cm 6.4" OC 16.3 cm 12 Port |  18" dia. 45.7 cm 2.5" 6 cm (Integrated Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| JTA | 24" JackTrack #-#-# 48" JackTrack #-#-# 94" JackTrack #-#-# |  23" 58.4 cm 1.75" 4.5 cm 47" 119.4 cm 1.75" 4.5 cm 94" 238.8 cm 1.75" 4.5 cm |  1.38" 3.5 cm 1.75" 4.5 cm (Remote Driver) | BL Matte Black WH White |

For more information see www.Blackjacklighting.com

(# symbol indicates additional specification required)


| System | Pendant Mounting | Configuration Examples | Finish Options |
|--------|------------------|------------------------|----------------|
|--------|------------------|------------------------|----------------|

Quatro


4S (4' 2x2 / 9 Port)
MSQ-2409-##-4S-##

MPC

Square Configurations - See [Quatro Square Configurations](#) section of our website for specification information (#)




6S (6' 3x3 / 25 Port)
MSQ-2425-##-6S-##




- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver

4L (4'x2' / 9 Port)
MSQ-2409-##-4L-##

Linear Configurations - See [Quatro Linear Configurations](#) section of our website for specification information (#)



6L (6'x2' / 25 Port)
MSQ-2425-##-6L-##




Duo


6L (6'4"x6" / 10 Port)
MSD-3810-##-6L-##

MPC

Linear Configurations - See [Duo Linear Configurations](#) section of our website for specification information (#)





9L (9'6"x6" / 18 Port)
MSD-3818-##-9L-##



- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver

Solo



Solo 48" Linear Configuration - See [Solo Linear Configuration](#) section of our website for specific information (#)



Solo 22" Grid Configuration - See [Solo Grid Configuration](#) section of our website for specific information (#)

MPC

Solo 48" Grid Configuration



- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver