

Project:

Note:

Type:

Quantity:

Model#:

 C - MCL - 4811 - - - -

Features


- Black or Polished chrome faceplate (with a black housing), White faceplate (with white housing)
- Canopy comes without pendants (ordered separately)
- When ordered with pendants, canopy ships with pendants assembled and pre-installed on canopy
- Fabricated steel construction
- Powder coated paint finishes
- Driver located in canopy housing (or above the canopy for the rear mounted driver version)
- Damp location rated

Specifications

- Input Voltage: 120VAC 50/60Hz
- Dimming: TRIAC, ELV or 0-10V Dimmable
- For recommended dimmers see <https://www.blackjacklighting.com/dimming-information>

Options

- Available with Integral or Remote driver
- Optional Lutron driver available
- Standard Finishes: BL-Matte Black, PC-Polished Chrome (with black housing) or WH-White (with white housing)
- Special Order Powder Coat Finishes (with black housing): BZ - Bronze, SG - Satin Gold or SS - Satin Silver



Pendants sold separately. For options see pages 2 and 3
For driver information see page 4



CANOPY ORDERING GUIDE

Series	Size/ Type	Finish	Power Supply	Wattage
C-MCL	4811 4811" 48" Length 11 Ports	Standard BL Matte Black PC Polished Chrome WH White Spec. Order BZ Bronze SG Satin Gold SS Satin Silver Custom CS Customer Specification	Universal _ Integral (standard) (Leave blank for standard option) R Remote Custom C Customer Selection (consult factory)	40W 40 Watts 60W 60 Watts (not available in Lutron driver) 96W 96 Watts

Example: C-MCL-4811-WH-_- 60W (For driver information see pg 4)

WATTAGE GUIDE

Pendant Watts	Ports	Recommended Driver
2W	11 Ports	40W
5W	11 Ports	60W
12W	7 Ports Max	96W

For other variations consult factory




Pendants sold separately. For full specifications and ordering information see www.Blackjacklighting.com

(# symbol indicates additional specification)


Light Guide - 2W/ 87lm

 <p>2" / 5.08 cm 1" / 2.54 cm</p> <p>SHORT FROSTED SP-LGD-SF-01-#-JTA</p>	 <p>5" / 12.7 cm</p> <p>TALL CLEAR SP-LGD-TC-01-#-JTA</p>	 <p>TALL FROSTED SP-LGD-TF-01-#-JTA</p>	 <p>BUBBLE SP-LGD-BU-01-#-JTA</p>	 <p>FILAMENT SP-LGD-FL-01-#-JTA</p>	 <p>CANDLE SP-LGD-CA-01-#-JTA</p>	 <p>4" / 10.2 cm</p> <p>A-LAMP SP-LGD-AL-03-#-JTA</p>	 <p>7" / 17.78 cm</p> <p>GRADIENT SP-LGD-GR-01-#-JTA</p>	 <p>1" / 2.54 cm</p> <p>MUSHROOM SP-LGD-MU-01-#-JTA</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------

3" Acrylic Globe - 2W / 87lm

 <p>2" / 3.3 cm 3" / 7.6 cm</p> <p>FROSTED SP-GLS-FR-03-#-JTA</p>	 <p>CLEAR SP-GLS-CL-03-#-JTA</p>	 <p>BUBBLE SP-GLS-BU-03-#-JTA</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------


3" Glass Globe - 2W/87lm

 <p>2.5" / 6.35 cm 3" / 7.6 cm</p> <p>WHITE GLASS SP-GGS-WH-03-#-JTA</p>





5" Glass Globe - 2W/ 87lm

 <p>2.5" / 6.35 cm 5" / 12.7 cm</p> <p>WHITE GLASS SP-GGL-WH-05-#-JTA</p>


5" Acrylic Globe - 5W/ 368lm

 <p>3" / 7.6 cm 5" / 12.7 cm</p> <p>CLEAR SP-GLL-CL-05-#-JTA</p>

Novo Tall - 5W/ 368lm

 <p>18" / 45.7 cm 1.25" / 3.18 cm 2" / 5.08 cm</p> <p>REFLECTOR RING SP-NVT-RR-02-#-JTA</p>	 <p>.75" / 1.91 cm</p> <p>LUMINOUS RING SP-NVT-LR-02-#-JTA</p>	 <p>7.5" / 19.05 cm</p> <p>FROSTED DIFFUSER SP-NVT-FR-02-#-JTA</p>	 <p>BUBBLE DIFFUSER SP-NVT-BU-02-#-JTA</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------





Cone Tall - 2W/ 87lm

 <p>40" / 102 cm 1" / 2.5 cm .375" / .95 cm</p> <p>TALL CONE w/ LUMINOUS RING SP-COT-LR-01-#-JTA</p>



Cone Short - 2W/ 87lm

 <p>10" / 25.4 cm 2" / 5.1 cm 1.25" / 3.18 cm</p> <p>SHORT CONE w/ REFLECTOR RING SP-COS-RR-02-#-JTA</p>

Novo Short - 5W/ 368lm

 <p>3" / 7.6 cm 1.25" / 3.18 cm 2" / 5.08 cm</p> <p>REFLECTOR RING SP-NVS-RR-02-#-JTA</p>	 <p>.75" / 1.91 cm</p> <p>LUMINOUS RING SP-NVS-LR-02-#-JTA</p>	 <p>7.5" / 19.05 cm</p> <p>FROSTED DIFFUSER SP-NVS-FR-02-#-JTA</p>	 <p>BUBBLE DIFFUSER SP-NVS-BU-02-#-JTA</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------

Special Order Novo - 5W/ 368lm

 <p>24" / 61 cm 1" / 2.5 cm .75" / 1.91 cm</p> <p>24" w/ LUMINOUS RING* SP-NV2-LR-02-#-JTA</p>	 <p>36" / 91.4 cm 2" / 5.08 cm .75" / 1.91 cm</p> <p>36" w/ LUMINOUS RING* SP-NV3-LR-02-#-JTA</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Lumen values are delivered lumens

* Special order only Novo 24" and 36" can be used with any Novo Tall or Novo Short diffuser

Pendants sold separately. For full specifications and ordering information see www.Blackjacklighting.com

(# symbol indicates additional specification)

8" Glass Sphere - 2W/ 87lm



12" Glass Sphere - 5W/ 368lm



4" Bullet - 2W/ 87lm



8" Bullet - 5W/ 368lm



Color Gel - 2W/ 87lm



10" Pill Box - 12W/ (Gold interior = 700lm , White interior = 800lm)



5" Velo - 2W/ 87lm



16" Domos - 12W/ (Gold interior = 700lm , White interior = 800lm)



Lumen values are delivered lumens


For more details and ordering information, consult factory

I. Universal Drivers

Universal dimmable (TRIAC, ELV or 0-10V), Flicker-free dimming 100% to 2% (with optimal configuration), auto reset, short circuit, overload and thermal protection



Watts	Output Volts	Input Volts	Mounting	Comments
15W	24V	120V - 277V	- Integral	(27U)
20W	24V	120V - 277V	- Integral	(27U)
40W	24V	100V - 305V	- Integral	(27U)
60W	24V	120V - 277V	- Integral	(27U)
96W	24V	120V - 277V	- Integral	(27U)
60W	24V	120V - 277V	- Remote	(27U)
96W	24V	120V - 277V	- Remote	(27U)




II. LUTRON Hi-Lume Drivers

Continuous flicker-free dimming, auto reset, short circuit, overload and thermal protection
Compatible with most Lutron dimming control systems



Watts	Output Volts	Input Volts	Mounting	Comments
40W	24V	120V - 277V	- Inside Canopy	3 Wire (27E) Dims 100% - 1%
40W	24V	120V	- Inside Canopy	2 Wire (12T) Dims 100% - 1%
40W	24V	120V - 277V	- Remote	3 Wire (27E) Dims 100% - 1%
40W	24V	120V	- Remote	2 Wire (12T) Dims 100% - 1%
96W	24V	120V - 277V	- Remote	3 Wire (27E) Dims 100% - .1%



ORDERING GUIDE

Category

PS

PS Power Supply

Type

94ST Standard (Universal)
94LT Lutron
94CS Customer Specification

Watts

15W 15 Watts
20W 20 Watts
40W 40 Watts
60W 60 Watts
96W 96 Watts

Dimming

12T TRIAC Dimming
27U 120-277V/ Universal
Dimming (TRIAC, ELV, 0-10V)
27E 120-277V/ Lutron EcoSystem

Mounting

IN Integral
RE Remote

Example: PS-94ST-96W-27U-RE