

**Project:**

**Note:**

**Type:**

**Quantity:**

**Model#:** SP - NVT -      - 02 -      -      - 5W -      -     

**Description**

The Novo Tall pendant is a simple geometric cylindrical form. Executed in aluminum, this pendant uses an integrated LED light source, and a frosted optical light guide for even light distribution in all directions.

**Specifications**

- Color Rendering Index: 90CRI
- LED Color Temperature: 3000K (standard)
- Cable Length: 8' (see page 2 for detail), for longer lengths consult factory
- Lumens: 5W/400 Lumens
- Lamping: 5W
- For recommended dimmers see <https://www.blackjacklighting.com/dimming-information>


**Features**

- Available with screw-in reflector or optical acrylic light guide diffusers
- Suspends from an 8' adjustable cable
- Damp location rated


**Options**

- Color Temperature: 2700K, 3000K, 3500K, 4000K
- Standard Finishs: BL - Black, PC - Polished Chrome or WH - White
- Special Order Powder Coat Finishs: BZ - Bronze, SG - Satin Gold or SS - Satin Silver
- Light Guide: RR - Reflector Ring, LR - Luminous Ring, FR - Frosted, BU - Bubble or TC - Tall Clear
- Mounting: See page 2 for mounting options

**Dimensions**



**Diffusers**



**ORDERING GUIDE**

Category	Series	Diffuser	Size	Finish	Color Temp.	Wattage	Mounting	Length
<b>SP</b>	<b>NVT</b>		<b>02</b>		<b>30K</b>	<b>5W</b>		
SP Small Pendant	NVT Novo Tall	RR 3" Reflector Ring LR 1" Luminous Ring FR 7" Frosted BU 7" Bubble TC 7" Tall Clear	02 2" Diameter	BL Black PC Polished Chrome WH White BZ Bronze SG Satin Gold SS Satin Silver	27K 2700K 30K 3000K 35K 3500K 40K 4000K	5W 5Watts/ 400 Lm	SP5 5" Canopy SP2 2.5" Fascia Canopy MPC Multi-Port Connector JTA JackTrack Adapter  (See page 2 for mounting information)	BLANK (Leave blank for standard 96" cable length) ### for cable length longer than 96" specify cable length in inches

Example: SP-NVT-RR-02-BL-30K-5W-SP2-

(30K Standard)


**Finish**


<p><b>Finish</b></p>  <p>PC BL WH BZ SG SS</p>	   <p><b>PC</b> - Polished Chrome     <b>BL</b> - Matte Black     <b>WH</b> - White</p> <p><b>Standard Finishes</b></p>	   <p><b>BZ</b> - Bronze     <b>SG</b> - Satin Gold     <b>SS</b> - Satin Silver</p> <p><b>Special Order Powder Coat Finishes</b></p>
---	--	--

**Wattage**


<p><b>Wattage</b></p>  <p>5W</p>	<p><b>5W = 5 Watts / 400 Lumens</b></p> <p>(Lumens measured at 3000K)</p>
---	---

**Mounting**

<p><b>Mounting</b></p>  <p>SP5 SP2 MPC JTA</p>	<p><b>SP5 = 5" canopy with integrated driver (included), attaches to rear of canopy and sits inside ceiling mounted junction box</b> <i>Cable with modular connector attaches to canopy w/ integrated universal driver (120-277V / TRIAC, ELV, 0-10V dimming)</i></p> <p><b>SP2 = 2.5" thin profile canopy that attaches flush to a rigid ceiling (driver sold separately)</b> <i>Cable with modular connector (and optional wire harness) attaches to a remote driver</i></p> <p><b>MPC = Multi-port connector attaches to any of BlackJack's Multi-Port canopies (canopy and driver sold separately)</b> <i>Cable with modular connector attaches to a driver inside a Multi-Port canopy (driver may be remote)</i></p> <p><b>JTA = Adapter connects the pendant in any position along the JackTrack system (track and driver sold separately)</b> <i>Cable is cut to length and inserted in a connector at the bottom of the JackTrack adapter</i></p>
---	---



















**Max Cable Length**

<p><b>Length</b></p>  <p>BLANK ###</p>	<p><b>BLANK</b> = Leave blank for standard 96" cable length.</p> <p><b>###</b> = Specify maximum cable length needed for fixture (in inches).</p> <p>Factory pre-configuration of cable length is available. Consult factory for details.</p>
---	---

For full specifications and ordering information see [blackjacklighting.com](http://blackjacklighting.com)

(# symbol indicates additional specification required)

Pendant Mounting	Canopy	Dimensions	End / Side View	Finish Options
SP5	<b>5" Canopy</b> Canopy and driver included with pendant	 5" dia. 12.7 cm	 (Integrated Driver) .8" 2 cm	<b>BL</b> Matte Black <b>PC</b> Pol. Chrome <b>WH</b> White <b>SG</b> Satin Gold <b>BZ</b> Bronze <b>SS</b> Satin Silver
SP2	<b>2.5" Fascia Canopy</b> Canopy included with pendant. Driver sold separately.	 2.5" dia. 6.4 cm	 (Remote Driver) .4" 1.3 cm	
MPC	<b>24" Multi-Port Square - 9 Port</b> C-MPS-2409-#  <b>24" Multi-Port Square - 25 Port</b> C-MPS-2425-#	 8" OC 20.3 cm 23.9" 60.7 cm 4.8" OC 12.2 cm 23.9" 60.7 cm 9 Port 25 Port	 21.5" 54.6 cm 2.5" 6 cm (Integrated or Remote Driver)	<b>BL</b> Matte Black <b>PC</b> Pol. Chrome <b>WH</b> White <b>SG</b> Satin Gold <b>BZ</b> Bronze <b>SS</b> Satin Silver
MPC	<b>38" Multi-Port Rectangle - 10 Port</b> C-MPT-3810-#  <b>38" Multi-Port Rectangle - 18 Port</b> C-MPT-3818-#	 7.5" OC 19 cm 37.7" 97.8 cm 3" OC 7.6 cm 10 Port 4.1" OC 10.4 cm 2.5" OC 6.4 cm 18 Port 37.7" 97.8 cm	 4.7" 11.9 cm 2.5" 6 cm 6" 15.2 cm (Integrated Driver)	<b>BL</b> Matte Black <b>PC</b> Pol. Chrome <b>WH</b> White <b>SG</b> Satin Gold <b>BZ</b> Bronze <b>SS</b> Satin Silver
MPC	<b>22" Multi-Port Linear - 5 Port</b> C-MPL-2205-#  <b>48" Multi-Port Linear - 11 Port</b> C-MPL-4811-#	 4.7" OC 11.9 cm 21.8" 56 cm 2.8" 7 cm 5 Port 4.7" OC 11.9 cm 48" 123 cm 2.8" 7 cm 11 Port	 2.8" 7 cm 1.4" 4 cm (Integrated or Remote Driver)	<b>BL</b> Matte Black <b>PC</b> Pol. Chrome <b>WH</b> White <b>SG</b> Satin Gold <b>BZ</b> Bronze <b>SS</b> Satin Silver
MPC	<b>10" Round - 3 Port</b> C-MPR-1003-#  <b>10" Round - 9 Port</b> C-MPR-1009-#	 11" dia. 27.9 cm 7.4" OC 18.8 cm 3 Port 11" dia. 27.9 cm 2.9" OC 7.4 cm 9 Port	 10" dia. 25.4 cm 2.1" 5.3 cm (Integrated Driver)	<b>BL</b> Matte Black <b>PC</b> Pol. Chrome <b>WH</b> White <b>SG</b> Satin Gold <b>BZ</b> Bronze <b>SS</b> Satin Silver
MPC	<b>20" Round - 3 Port</b> C-MPR-2003-#  <b>20" Round - 12 Port</b> C-MPR-2012-#	 20" dia. 50.8 cm 14.5" OC 36.8 cm 3 Port 20" dia. 50.8 cm 6.4" OC 16.3 cm 12 Port	 18" dia. 45.7 cm 2.5" 6 cm (Integrated Driver)	<b>BL</b> Matte Black <b>PC</b> Pol. Chrome <b>WH</b> White <b>SG</b> Satin Gold <b>BZ</b> Bronze <b>SS</b> Satin Silver
JTA	<b>24" JackTrack</b> #-#-#  <b>48" JackTrack</b> #-#-#  <b>94" JackTrack</b> #-#-#	 23" 58.4 cm 1.75" 4.5 cm 47" 119.4 cm 1.75" 4.5 cm 94" 238.8 cm 1.75" 4.5 cm	 1.38" 3.5 cm 1.75" 4.5 cm (Remote Driver)	<b>BL</b> Matte Black <b>WH</b> White

For more information see [www.Blackjacklighting.com](http://www.Blackjacklighting.com)


(# symbol indicates additional specification required)

System	Pendant Mounting	Configuration Examples	Finish Options
--------	------------------	------------------------	----------------


**Quatro**

**Square Configurations** - See [Quatro Square Configurations](#) section of our website for specification information (#)

**4S (4' 2x2 / 9 Port)**  
MSQ-2409-#-#-4S-#-#



**6S (6' 3x3 / 25 Port)**  
MSQ-2425-#-#-6S-#-#




MPC


- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver

**Linear Configurations** - See [Quatro Linear Configurations](#) section of our website for specification information (#)

**4L (4'x2' / 9 Port)**  
MSQ-2409-#-#-4L-#-#



**6L (6'x2' / 25 Port)**  
MSQ-2425-#-#-6L-#-#




**Duo**


**Linear Configurations** - See [Duo Linear Configurations](#) section of our website for specification information (#)

**6L (6'4"x6" / 10 Port)**  
MSD-3810-#-#-6L-#-#

MPC





**9L (9'6"x6" / 18 Port)**  
MSD-3818-#-#-9L-#-#



- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver


**Solo**

**Solo 48" Linear Configuration** - See [Solo Linear Configuration](#) section of our website for specific information (#)




**Solo 22" Grid Configuration** - See [Solo Grid Configuration](#) section of our website for specific information (#)

MPC



**Solo 48" Grid Configuration**



- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver